

Corporate Headquarters 6571 Wilson Mills Road Cleveland, Ohio 44143

Phone: 800-458-3330

This report package contains 46 pages.

This package contains reports from the following laboratories:

- National Testing Laboratories, Ltd. (7 pages)
- Pace Analytical Services, Inc.- Minneapolis, MN (8 pages)
- Pace Analytical Services, Inc.-Greensburg, PA (1 page)
- EMSL Analytical, Inc. (1 page)
- Eurofins Eaton Analytical, Inc. (1 page)
- Alpha Analytical (23 pages)
- NSF International (4 pages)



If you have any questions, please contact Susan Henderson at 1-800-458-3330.

Laboratory ID: NY:11467,

VA:00417

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 429303 4/22/2022

Customer: Central Carolina Bottling dba Grand Springs Dist.

Robert Smith 2140 Mt Carmel Rd. Alton, VA 24520-3570 Source: Grand Springs Source #1

Source Type: Spring Water
Brand Name: Crystal Spring
Production Code: 030922 11:02 ZATS

Container Size: 5 Gallon

Date/Time Received: 3/14/2022 09:14

Collected by: R. Smith

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Legend:

Any 'Level Detected' marked with an asterisk (*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND" This contaminant was not detected at or above our lower reporting limit (LRL)

"NA" Not Analyzed

"Standard" This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

"LRL" This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

Report Notes:

pH analysis has a 15 minute hold time from sampling to analysis. Analysis of pH past the 15 minute hold time should be considered an estimate. In addition, Chlorine, Chloramine and Chlorine Dioxide hold time is immediate, therefore results should be considered an estimate.

Fed Id #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		ate repped	Date/Time Analyzed	
				Inorga	nic Analy	t <mark>es - Metals</mark>						
1002	Aluminum	200.7	0.2	mg/L	0.05	ND	1	3/21/2022	14:55	Photo:	4/5/2022	
1074	Antimony	200.8	0.006	mg/L	0.003	ND	1	3/21/2022	14:55		3/24/2022	
1005	Arsenic	200.8	0.010	mg/L	0.002	ND	1	3/21/2022	14:55	11 1 190	3/24/2022	
1010	Barium	200.7	2	mg/L	0.10	ND	1	3/21/2022	14:55		4/5/2022	
1075	Beryllium	200.7	0.004	mg/L	0.001	ND	1	3/21/2022	14:55		4/5/2022	120
1079	Boron	200.7		mg/L	0.10	ND	1	3/21/2022	14:55		4/5/2022	
1015	Cadmium	200.7	0.005	mg/L	0.001	ND	1	3/21/2022	14:55	11	4/5/2022	
1016	Calcium	200.7		mg/L	2.0	22.0	1	3/21/2022	14:55		4/5/2022	
1020	Chromium	200.7	0.100	mg/L	0.007	ND	1	3/21/2022	14:55	. 17	4/5/2022	E LOV
1022	Copper	200.7	1.0	mg/L	0.002	ND	1	3/21/2022	14:55		4/5/2022	
1028	Iron	200.7	0.3	mg/L	0.020	ND	1	3/21/2022	14:55		4/5/2022	81.
1030	Lead	200.8	0.015	mg/L	0.001	ND	1	3/21/2022	14:55		3/24/2022	
1031	Magnesium	200.7		mg/L	0.10	5.20	1	3/21/2022	14:55	No.	4/5/2022	NUT
1032	Manganese	200.7	0.05	mg/L	0.004	ND	1	3/21/2022	14:55		4/5/2022	
1035	Mercury	200.8	0.002	mg/L	0.0002	ND	1	3/21/2022	14:55	1135	3/24/2022	ي. آي
1036	Nickel	200.7		mg/L	0.005	ND	1	3/21/2022	14:55		4/5/2022	
1042	Potassium	200.7		mg/L	1.0	2.2	1	3/21/2022	14:55	T-32	4/5/2022	
1045	Selenium	200.8	0.05	mg/L	0.002	ND	1	3/21/2022	14:55		3/24/2022	
1049	Silica	200.7	-	mg/L	0.05	32.00	1	3/21/2022	14:55		4/5/2022	

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 1 of 6 429303 FDABASE GDRX Date Printed: 4/22/2022 2:02:31 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 429303 4/22/2022

Contaminant												
	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
Silver	200.7	0.10	mg/L	0.002	ND		1	3/21/2022	14:55		4/5/2022	
Sodium	200.7	_	mg/L	1	9		1	3/21/2022	14:55		4/5/2022	V. (4)
Thallium	200.8	0.002	mg/L	0.001	ND		1	3/21/2022	14:55		3/24/2022	
Uranium	200.8	0.030	mg/L	0.001	ND		1	3/21/2022	14:55	4 1 21	3/24/2022	
Zinc	200.7	5.000	mg/L	0.004	ND		1	3/21/2022	14:55		4/5/2022	
			Ph	vsical F	actors							
Alkalinity (Total as CaCO3)	2320B		mg/L	20	94		1	3/21/2022	14:55	THE REAL PROPERTY.	3/22/2022	
Apparent Color	2120B	15	CU	3	ND		1	3/21/2022	14:55		3/22/2022	09:00
Bicarbonate (as CaCO3)	2320B	4	mg/L	20	94		- 1	3/21/2022	14:55	1000	3/22/2022	** (Fig. 14)
Carbonate (as CaCO3)	2320B	_	mg/L	20	ND		1	3/21/2022	14:55		3/22/2022	
Corrosivity	2330B	# 1	SI	14137	-1.57	R2	1	3/21/2022	14:55	1 15 25 1	4/5/2022	100
Foaming Agents	5540C	0.5	mg/L	0.1	ND		1					08:40
	ME	BAS, calcul	ated as Lii	near Alkyl	ate Sulfonate	e (LAS	S), mol					
Hardness	2340B	-	mg/L	5.0	76	1111	1	3/21/2022	14:55	1 1 1 1 2	4/5/2022	
Hydroxide (as CaCO3)	2320B		mg/L	20	ND		1	3/21/2022	14:55		3/22/2022	
Odor Threshold	2150B	3	ton	1	ND		1	3/21/2022	14:55	1.0	3/21/2022	18:20
pH	150.1	6.5-8.5	pH Units		6.5		1	3/21/2022	14:55		3/21/2022	16:53
pH Temperature	150.1	-	Deg, C	1100	22	ايرانا	1	3/21/2022	14:55		3/21/2022	16:53
Specific Cond. @ 25 deg. C	2510B		umhos/c m	1	190		1	3/21/2022	14:55		3/28/2022	
Total Dissolved Solids	2540C	500	mg/L	5	110		1	3/21/2022	14:55	THE RESERVE	3/24/2022	in the
Turbidity	2130B	1	NTU	0.1	ND		1	3/21/2022	14:55		3/22/2022	12:30
			Inorgar	ic Analy	tes - Other	•						
Bromate	300.1	0.010	mg/L	0.005	ND		1	3/21/2022	14:55	ATT ANY DE	3/30/2022	
Bromide	300.1		mg/L	0.005	0.026		1	3/21/2022	14:55		3/30/2022	
Chloramine as Cl2	4500CI-G	4.0	mg/L	0.05	0.23	Hall	1	3/21/2022	14:55		4/12/2022	09:19
Chloride	300.0	250	mg/L	1.0	3.9		1	3/21/2022	14:55		3/22/2022	13:13
Chlorine as CI2	4500Cl-G	4.0	mg/L	0.05	ND		1	3/21/2022	14:55	E-3444	4/12/2022	09:14
Chlorine Dioxide as Cl02	4500Cl02D	8.0	mg/L	0.1	ND		1	3/21/2022	14:55		4/12/2022	09:47
Chlorite	300.1	1.0	mg/L	0.005	ND	= "	1	3/21/2022	14:55		3/30/2022	
Fluoride	300.0	4.0	mg/L	0.10	0.20		1	3/21/2022	14:55		3/22/2022	13:13
Nitrate as N	300.0	10	mg/L	0.05	0.68	٧,	1	3/21/2022	14:55		3/22/2022	13:13
Nitrite as N	300.0	1	mg/L	0.05	ND		1	3/21/2022	14:55		3/22/2022	13:13
Ortho Phosphate	300.0	-	mg/L	2.0	ND		1	3/21/2022	14:55		3/22/2022	13:13
Sulfate	300.0	250	mg/L	5.0	ND		1	3/21/2022	14:55		3/22/2022	13:13
		Org	anic Ana	lytes - T	rihalometh	anes	3					
Bromodichloromethane	524.2 THMs		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
Bromoform	524.2 THMs		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
Chloroform	524.2 THMs	* 150	mg/L	0.0005	ND		1	3/21/2022	14:55	411	3/24/2022	
	Sodium Thallium Uranium Zinc Alkalinity (Total as CaCO3) Apparent Color Bicarbonate (as CaCO3) Carbonate (as CaCO3) Corrosivity Foaming Agents Hardness Hydroxide (as CaCO3) Odor Threshold pH pH Temperature Specific Cond. @ 25 deg. C Total Dissolved Solids Turbidity Bromate Bromide Chloramine as Cl2 Chloride Chlorine Dioxide as Cl02 Chlorite Fluoride Nitrate as N Nitrite as N Ortho Phosphate Sulfate Bromodichloromethane Bromodorm	Sodium 200.7 Thallium 200.8 Uranium 200.8 Zinc 200.7 Alkalinity (Total as CaCO3) 2320B Apparent Color 2120B Bicarbonate (as CaCO3) 2320B Carbonate (as CaCO3) 2320B Corrosivity 2330B Foaming Agents 5540C ME Hardness Hydroxide (as CaCO3) 2320B Odor Threshold 2150B PH 150.1 PH Temperature 150.1 Specific Cond. @ 25 deg. C 2510B Total Dissolved Solids 2540C Turbidity 2130B Bromate 300.1 Bromide 300.1 Chloride 300.0 Chlorine as Cl2 4500Cl-G Chlorine Dioxide as Cl02 4500Cl-G Chlorite 300.0 Nitrate as N 300.0 Nitrite as N 300.0 Sulfate 300.0 Bromodichloromethane 524.2 THMs	Sodium	Sodium	Sodium 200.7 mg/L 1 Thallium 200.8 0.002 mg/L 0.001 Uranium 200.8 0.030 mg/L 0.001 Zinc 200.7 5.000 mg/L 0.004 Physical File Physical F	Sodium 200.7 - mg/L 1 9 Thallium 200.8 0.002 mg/L 0.001 ND Uranium 200.8 0.030 mg/L 0.004 ND Zinc 200.7 5.000 mg/L 0.004 ND Physical Factors Alkalinity (Total as CaCO3) 2320B - mg/L 20 94 Apparent Color 2120B 15 CU 3 ND Bicarbonate (as CaCO3) 2320B - mg/L 20 94 Carbonate (as CaCO3) 2320B - mg/L 20 ND Corrosivity 2330B - mg/L 20 ND Corrosivity 2330B - mg/L 0.1 ND Foaming Agents 5540C 0.5 mg/L 0.0 ND Hardness 2340B - mg/L 0.0 ND Hydroxide (as CaCO3) 2320B - mg/L	Sodium	Sodium	Sodium 200.7 - mg/L 1 9 1 3/21/2022 Thallium 200.8 0.002 mg/L 0.001 ND 1 3/21/2022 Uranium 200.8 0.030 mg/L 0.001 ND 1 3/21/2022 Zinc 200.7 5.000 mg/L 20 94 1 3/21/2022 Apparent Color 2120B 15 CU 3 ND 1 3/21/2022 Apparent Color 2120B 15 CU 3 ND 1 3/21/2022 Bicarbonate (as CaCO3) 2320B - mg/L 20 94 1 3/21/2022 Carbonate (as CaCO3) 2320B - mg/L 20 ND 1 3/21/2022 Carbonate (as CaCO3) 2320B - mg/L 20 ND 1 3/21/2022 Carbonate (as CaCO3) 2320B - mg/L 20 ND 1 3/21/2022 Carbonate (as CaCO3) 2320B - mg/L 50 76 1 3/21/2022 Foaming Agents 5540C 0.5 mg/L 50 76 1 3/21/2022 Hardness 2340B - mg/L 50 76 1 3/21/2022 Hydroxide (as CaCO3) 2320B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2320B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2320B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND ND 1 3/21/2022 Hydroxide (as CaCO3) 2350B - mg/L 50 ND ND 1 3/21/2022 Hydroxide (as CaCO3) 300.	Sodium	Sodium 200.7 - mg/L 1 9 1 32/12/022 14-55 Thallum 200.8 0.020 mg/L 0.001 ND 1 3/21/2022 14-55 Zinc 200.7 5.000 mg/L 0.001 ND 1 3/21/2022 14-55 January 100 200.7 5.000 mg/L 0.004 ND 1 3/21/2022 14-55 Alkalinity (Total as CaCO3) 23208 - mg/L 20 94 1 3/21/2022 14-55 Bicarbonate (as CaCO3) 23208 - mg/L 20 ND 1 3/21/2022 14-55 Carbonate (as CaCO3) 23208 - mg/L 20 ND 1 3/21/2022 14-55 Carbonate (as CaCO3) 23208 - mg/L 20 ND 1 3/21/2022 14-55 Foaming Agents - mg/L 5.0 76 1 3/21/2022 14-55	Solition

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 2 of 6

429303

FDABASE GDRX

Date Printed: 4/22/2022 2:02:32 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 429303

4/22/2022

Fed ld #	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
2944	Dibromochloromethane	524.2 THMs		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2950	Total THMs	524.2 THMs	0.080	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
			Org	anic An	alytes - H	aloacetic Ac	ids					
2454	Dibromoacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	3/21/2022	14:55	3/23/2022	3/31/2022	
2451	Dichloroacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	3/21/2022	14:55	3/23/2022	3/31/2022	4. 14
2453	Monobromoacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	3/21/2022	14:55	3/23/2022	3/31/2022	
2450	Monochloroacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	3/21/2022	14:55	3/23/2022	3/31/2022	
2452	Trichloroacetic Acid	552.2 HA	As	ug/L	1.0	ND	1	3/21/2022	14:55	3/23/2022	3/31/2022	
2456	Total HAAs	552.2 HA	As 60	ug/L	1.0	ND	10	3/21/2022	14:55	3/23/2022	3/31/2022	100
				Organi	c Analyte	s - Volatiles						
2986	1,1,1,2-Tetrachloroethane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2981	1,1,1-Trichloroethane	524.2	0.2	mg/L	0.0005	ND	1	3/21/2022	14:55	A TOTAL	3/24/2022	44.5
2988	1,1,2,2-Tetrachloroethane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2985	1,1,2-Trichloroethane	524.2	0.005	mg/L	0.0005	ND	1	3/21/2022	14:55	No.	3/24/2022	
2978	1,1-Dichloroethane	524.2	-	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2977	1,1-Dichloroethene	524.2	0.007	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	Sit of
2410	1,1-Dichloropropene	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2420	1,2,3-Trichlorobenzene	524.2	-	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	Jan 1985
2414	1,2,3-Trichloropropane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2378	1,2,4-Trichlorobenzene	524.2	0.07	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	(10)
2418	1,2,4-Trimethylbenzene	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2968	1,2-Dichlorobenzene	524.2	0.6	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2980	1,2-Dichloroethane	524.2	0.005	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2983	1,2-Dichloropropane	524.2	0.005	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	1 -1 1 -
2424	1,3,5-Trimethylbenzene	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55	Y-1	3/24/2022	
2967	1,3-Dichlorobenzene	524.2	14 May 1	mg/L	0.0005	ND	1	3/21/2022	14:55	III PUEST B	3/24/2022	5/10
2412	1,3-Dichloropropane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2969	1,4-Dichlorobenzene	524.2	0.075	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2416	2,2-Dichloropropane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	DOLLAR SERVICE
2965	2-Chlorotoluene	524.2	ST 19	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	THE 13
2966	4-Chlorotoluene	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2030	4-Isopropyltoluene	524.2	-	mg/L	0.0005	ND	1	3/21/2022	14:55	. 10 10 1	3/24/2022	THE PARTY
2990	Benzene	524.2	0.005	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2993	Bromobenzene	524.2	· ·	mg/L	0.0005	ND	1	3/21/2022	14:55	74 10	3/24/2022	
2430	Bromochloromethane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2214	Bromomethane	524.2	*	mg/L	0.0005	ND	1	3/21/2022	14:55	Killinger	3/24/2022	100
2982	Carbon Tetrachloride	524.2	0.005	mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2989	Chlorobenzene	524.2	0.1	mg/L	0.0005	ND	1	3/21/2022	14:55	and has a	3/24/2022	
2216	Chloroethane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55		3/24/2022	
2210	Chloromethane	524.2		mg/L	0.0005	ND	1	3/21/2022	14:55	North Control	3/24/2022	

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 3 of 6 429303

FDABASE GDRX

Date Printed: 4/22/2022 2:02:33 PM

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 429303

4/22/2022

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected		DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
2380	cis-1,2-Dichloroethene	524.2	0.07	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2228	cis-1,3-Dichloropropene	524.2	14.	mg/L	0.0005	ND		1	3/21/2022	14:55	Company of the Compan	3/24/2022	Ha N
2408	Dibromomethane	524.2		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2212	Dichlorodifluoromethane	524.2	100	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	1876
2964	Dichloromethane	524.2	0.005	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2992	Ethylbenzene	524.2	0.7	mg/L	0.0005	ND		1	3/21/2022	14:55	W 150 8	3/24/2022	190
2246	Hexachlorobutadiene	524.2		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2994	Isopropylbenzene	524.2	- 13	mg/L	0.0005	ND	w i	-1	3/21/2022	14:55	Solo In	3/24/2022	
2251	Methyl Tert Butyl Ether	524.2		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2247	Methyl-Ethyl Ketone	524.2	-	mg/L	0.005	ND	R2	1	3/21/2022	14:55	V. Later	3/24/2022	
2248	Naphthalene	524.2		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2422	n-Butylbenzene	524.2	-	mg/L	0.0005	ND		1	3/21/2022	14:55	15000	3/24/2022	
2997	o-Xylene	524.2	-	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2963	p and m-Xylenes	524.2	-	mg/L	0.0010	ND	34	1	3/21/2022	14:55		3/24/2022	
			Due to the lim	nitation of	EPA Metho	od 524.2, p a	and m	n isome	ers of Xylene	are repor	ted as aggreg	gate.	
2998	Propylbenzene	524.2		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2428	sec-Butylbenzene	524.2		mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2996	Styrene	524.2	0.1	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2426	tert-Butylbenzene	524.2	-	mg/L	0.0005	ND	4	1	3/21/2022	14:55	No. of Lot	3/24/2022	
2987	Tetrachloroethene	524.2	0.005	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2991	Toluene	524.2	1	mg/L	0.0005	ND	VI.	1	3/21/2022	14:55		3/24/2022	
2979	trans-1,2-Dichloroethene	524.2	0.1	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2224	trans-1,3-Dichloropropene	524.2	-	mg/L	0.0005	ND		1	3/21/2022	14:55	EL TORO	3/24/2022	
2984	Trichloroethene	524.2	0.005	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2218	Trichlorofluoromethane	524.2		mg/L	0.0005	ND	ā,	1	3/21/2022	14:55		3/24/2022	IIIV.
2904	Trichlorotrifluoroethane	524.2	-	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
2976	Vinyl Chloride	524.2	0.002	mg/L	0.0005	ND		1	3/21/2022	14:55	THE STATE	3/24/2022	
2955	Xylenes (Total)	524.2	10	mg/L	0.0005	ND		1	3/21/2022	14:55		3/24/2022	
				Organ	ic Analyte	es - Others							
2931	1,2-Dibromo-3-chloropropane	504.1	0.0002	mg/L	0.00001	ND		1	3/21/2022	14:55	4/1/2022	4/1/2022	
2946	1,2-Dibromoethane	504.1	0.00005	mg/L	0.00001	ND		1	3/21/2022	14:55	4/1/2022	4/1/2022	
2105	2,4-D	515.4	70	ug/L	0.1	ND		1	3/21/2022	14:55	3/22/2022	4/5/2022	
2066	3-Hydroxycarbofuran	531.2		ug/L	1.0	ND		1	3/21/2022	14:55		4/1/2022	
2051	Alachlor	525.2	2	ug/L	0.2	ND		1	3/21/2022	14:55	4/2/2022	4/20/2022	
2047	Aldicarb	531.2	7	ug/L	1.0	ND		1	3/21/2022	14:55		4/1/2022	
2044	Aldicarb sulfone	531.2	7	ug/L	1.0	ND		111	3/21/2022	14:55		4/1/2022	
2043	Aldicarb sulfoxide	531.2	7	ug/L	1.0	ND		1	3/21/2022	14:55		4/1/2022	
2356	Aldrin	505	-	mg/L	0.00007	ND	JH.	1	3/21/2022	14:55	3/28/2022	3/28/2022	
2050	Atrazine	525.2	3	ug/L	0.1	ND		1	3/21/2022	14:55	4/2/2022	4/20/2022	1000
2625	Bentazon	515.4	44	ug/L	1	ND		1	3/21/2022	14:55	3/22/2022	4/5/2022	
2306	Benzo(A)pyrene	525.2	0.2	ug/L	0.1	ND	-	1	3/21/2022	14:55	4/2/2022	4/20/2022	
				J .		-			J 112022	. 1.00			

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 4 of 6 429303 FDABASE GDRX

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 429303 4/22/2022

											
Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed
2076	Butachlor	525.2	178	ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2021	Carbaryl	531.2		ug/L	1.0	ND	1	3/21/2022	14:55		4/1/2022
2046	Carbofuran	531.2	40	ug/L	1.0	ND	1	3/21/2022	14:55	11.	4/1/2022
2959	Chlordane	505	0.002	mg/L	0.0001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2031	Dalapon	515.4	200	ug/L	1	ND	1	3/21/2022	14:55	3/22/2022	4/5/2022
2035	Di(2-ethylhexyl) adipate	525.2	400	ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2039	Di(2-ethylhexyl) phthalate	525.2	6	ug/L	0.6	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2440	Dicamba	515.4		ug/L	1	ND	1	3/21/2022	14:55	3/22/2022	4/5/2022
2933	Dichloran	505	-	mg/L	0.001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2070	Dieldrin	505		mg/L	0.00002	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2041	Dinoseb	515.4	7	ug/L	0.2	ND	1	3/21/2022	14:55	3/22/2022	4/5/2022
2032	Diquat	549.2	20	ug/L	0.4	ND	1	3/21/2022	14:55	3/28/2022	4/7/2022
2033	Endothall	548.1	100	ug/L	9	ND	1	3/21/2022	14:55	3/28/2022	4/6/2022
2005	Endrin	505	0.002	mg/L	0.00001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2034	Glyphosate	547	700	ug/L	6	ND	1	3/21/2022	14:55		3/23/2022
2065	Heptachlor	525.2	0.4	ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2065	Heptachlor	505	0.0004	mg/L	0.00001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2067	Heptachlor Epoxide	505	0.0002	mg/L	0.00001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2274	Hexachlorobenzene	505	0.001	mg/L	0.0001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2042	Hexachlorocyclopentadiene	505	0.05	mg/L	0.0001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2010	Lindane	505	0.0002	mg/L	0.00002	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2022	Methomyl	531.2	_	ug/L	1.0	ND	1	3/21/2022	14:55		4/1/2022
2015	Methoxychlor	505	0.04	mg/L	0.0001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2045	Metolachlor	525.2		ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2595	Metribuzin	525.2	-	ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2626	Molinate	525.2	-	ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2036	Oxamyl	531.2	200	ug/L	1.0	ND	1	3/21/2022	14:55	May 11	4/1/2022
2934	Pentachloronitrobenzene	505	-	mg/L	0.0001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2326	Pentachlorophenol	515.4	1	ug/L	0.04	ND	1	3/21/2022	14:55	3/22/2022	4/5/2022
2040	Picloram	515.4	500	ug/L	0.1	ND	1	3/21/2022	14:55	3/22/2022	4/5/2022
2077	Propachlor	525.2	-	ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2110	Silvex 2,4,5-TP	515.4	50	ug/L	0.2	ND	1	3/21/2022	14:55	3/22/2022	4/5/2022
2037	Simazine	525.2	4	ug/L	0.1	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2627	Thiobencarb	525.2	-	ug/L	0.2	ND	1	3/21/2022	14:55	4/2/2022	4/20/2022
2383	Total PCBs	505	0.0005	mg/L	0.0005	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2020	Toxaphene	505	0.003	mg/L	0.001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
2055	Trifluralin	505	-	mg/L	0.001	ND	1	3/21/2022	14:55	3/28/2022	3/28/2022
_	11.0	and the same of th			0.00			0.2 112022	14.00	OILOILULL	O. E. O. E. O. E.

Qualifiers:

R2: The laboratory is not licensed for this parameter. The reported result cannot be used for compliance purposes.

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Page 5 of 6 429303 FDABASE GDRX

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 429303

4/22/2022

LRL DF Date/Time Date/Time Fed Id # Contaminant Method Standard Units Level Date Detected Sampled Prepped Analyzed

Christine MacMillan, Technical Director

Analyst	Tests
ZSC	200.7,2330B,2340B,4500Cl-G,4500Cl02D
DMJ	200.8
SP	2320B,2120B,150.1,2510B,2130B
JF	5540C
PC	2150B
CF	2540C
SG	300.1,300.0
SB	524.2 THMs,524.2,531.2,549.2,547
RV	552.2 HAAs,504.1,515.4,505
JLF	525.2,548.1

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.

Laboratory ID: NY:11467,

VA:00417

National Testing Laboratories, Ltd

556 South Mansfield, Ypsilanti, MI, 48197-5166 (440) 449-2525, Fax: (440) 449-8585

ANALYTICAL REPORTS

SAMPLE CODE: 429302 3/25/2022

Customer: Central Carolina Bottling dba Grand Springs Dist.

> Robert Smith 2140 Mt Carmel Rd. Alton, VA 24520-3570

Source:

Grand Springs Source #1

Source Type: **Brand Name:**

Spring Water Crystal Spring

Production Code: 030922 11:02 ZATS

Container Size: 5 Gallon

Date/Time Received:

3/14/2022 09:14

Collected by:

R. Smith

The results herein conform to TNI and ISO/IEC 17025:2017 standards, where applicable. These results may be used for compliance purposes, as required, unless otherwise narrated in the body of the report. The uncertainty of the test results are available upon request. All Dates and Times are reported as U.S. Eastern Time.

Any 'Level Detected' marked with an asterisk (*) indicates that the value has exceeded the EPA Maximum Contaminant Level (MCL) or one of the Standards of Quality.

"ND"

This contaminant was not detected at or above our lower reporting limit (LRL)

"NA"

Not Analyzed

"Standard"

This column indicates either the Maximum Contaminant Level (MCL) for EPA Primary Standards or the guideline values for EPA

Secondary Standards.

"LRL"

This column indicates the Lower Reporting Limit, which is the lowest level that the laboratory can detect a contaminant.

"DF" This column indicates the contaminant dilution factor.

Report Notes:

Fed Id#	Contaminant	Method	Standard	Units	LRL	Level Detected	DF	Date/Time Sampled		Date Prepped	Date/Time Analyzed	
				Mi	crobiol	ogicals						
3114	E. Coli	9223B	1	MPN/100 mL	0 1	ND	1	3/21/2022	14:55		3/21/2022	18:00
3001	Standard Plate Count	9215B	500	CFU/ml	1	200	1	3/21/2022	14:55		3/21/2022	17:46
			Pour Plate M	ethod, 35°	C/48hr, I	Plate Count Agar						
3001	Standard Plate Count	9215B	500	CFU/ml	1	200	1	3/21/2022	14:55		3/21/2022	17:46
			Pour Plate M	ethod, 35°	C/72hr, I	Plate Count Agar						
3000	Total Coliform	9223B	1	MPN/100 mL	0 1	ND	1	3/21/2022	14:55		3/21/2022	18:00

Analyst	Tests	
GK	9223B,9215B	

Christine MacMillan, Technical Director

This report cannot be reproduced, except in full, without the written approval of National Testing Laboratories, Ltd.



Pace Analytical Services, LLC. 1700 Elm Street

Minneapolis, MN 55414 Phone: 612.607.1700

Fax: 612.607.6444

Report Prepared for:

Susan Henderson National Testing Laboratories 6571 Wilson Mills Road Cleveland OH 44143

> REPORT OF LABORATORY ANALYSIS FOR 2,3,7,8-TCDD

Report Summary:

Enclosed are analytical results of one drinking water sample analyzed for 2,3,7,8-TCDD content. This sample was analyzed according to Method 1613B by High Resolution Gas Chromatography/High Resolution Mass Spectrometry.

The results reported for this sample and the associated quality control samples were all within the criteria described in Method 1613B. If you have any questions or concerns regarding these results, please contact Joanne Richardson, your Pace Project Manager.

Pace Project Number:

10601767

Report Prepared Date:

March 31, 2022

Finished Product

Sample ID: 429303

Source Name: Grand Springs Source #1

Source Location: Alton, VA

PWS ID: N/A

Date & Time Opened: N/A

Opened By:

Laboratory Sample ID: 10601767001 Date Sampled: 03/21/2022 @ 14:55 Date Received: 03/23/2022 @ 09:30

This report has been reviewed by:

March 31, 2022

Joanne Richardson,

(612) 607-6453


(612) 607-6444 (fax)



Report of Laboratory Analysis

This reports hould not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.





Tel: 612-607-1700 Fax: 612-607-6444

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
		Missouri	10100
A2LA	2926.01	Montana	CERT0092
Alabama	40770	Nebraska	NE-OS-18-06
Alaska-DW	MN00064	Nevada	MN00064
Alaska-UST	17-009	New Hampshire	2081
Arizona	AZ0014	New Jersey	MN002
Arkansas - WW	88-0680	New York	11647
Arkansas-DW	MN00064	North Carolina-	27700
California	2929	North Carolina-	530
Colorado	MN00064	North Dakota	R-036
Connecticut	PH-0256	Ohio-DW	41244
Florida	E87605	Ohio-VAP (170	CL101
Georgia	959	Ohio-VAP (180	CL110
Hawaii	MN00064	Oklahoma	9507
Idaho	MN00064	Oregon- rimary	MN300001
Illinois	200011	Oregon-Second	MN200001
Indiana	C-MN-01	Pennsylvania	68-00563
lowa	368	Puerto Rico	MN00064
Kansas	E-10167	South Carolina	74003
Kentucky-DW	90062	Tennessee	TN02818
Kentucky-WW	90062	Texas	T104704192
Louisiana-DEQ	AI-84596	Utah	MN00064
Louisiana-DW	MN00064	Vermont	VT-027053137
Maine	MN00064	Virginia	460163
Maryland	322	Washington	C486
Michigan	9909	West Virginia-D	382
Minnesota	027-053-137	West Virginia-D	9952C
Minnesota-Ag	via MN 027-053	Wisconsin	999407970
Minnesota-Petr	1240	Wyoming-UST	via A2LA 2926.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.



Reporting Flags

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- I = Interferencepresent
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDEInterference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs
- * = SeeDiscussion

REPORT OF LABORATORY ANALYSIS

CHAIN OF CUSTODY

Initiated by:

□ Other	
Ltd.	
Laboratories,	
Testing	
onal	

CLIENT/COMPANY NAME:	IME:							
					ဟ	. 0	TEST(S) REQUESTED PER SAMPLE (X)	PLE (X)
CLIENT COMMENTS:			TYPE	TYPES OF SAMPLES:	< ≥ a	ш (MO#: 1060	.0601767
			GROL	DRINKING WATER = D SOIL SAMPLE GROUND WATER = G SLUDGE/WASTE POOL WATER = P OTHER TYPE	γ ≱ 0	00ZF4	2 /	
SAMPLE	COLLE	COLLECTION	-	SAMPLESITE	≻ 0. m	V	Noice Noice	
#	DATE	TIME	_	DESCRIPTION		œ so		
429306	3/2/12	2/2/1500	778	218743	2	2 ~		
429 503	→	1455	_	2187219	4			
		C2 : 045 2 6 2						
	25.12							
					-			
RECEIVER SIGNATURE CONFIRMS THAT THE BOTTLES RECEIVED ARE CONSISTENT WITH THE REQUIRED TESTING PROTOCOL.	TURE CONFIRED ARE CONS	SMS THAT TH SISTENT WIT ROTOCOL.	<u> </u>	RELINQUISHED BY: (Signature)	DATE	TIME	EABORATORY COMMENTS	
SAMPLED BY: (Signature)	(a.		TIME	RECEIVED BY (Signature)	DATE	TIME		
SHIP ED BY: (Signature)		3 parte 11	TIME	RELINQUISHED BY (Signature) (6)	DATE	TIME		
RECEIVED BY (Signature) (3) CSM/	300	3-3320 4:30	TIME	RECEIVED BY (Signature) (7)	DATE	TIME		

See instructions on reverse side →

National Testing Laboratories, Ltd. Quality Water Analysis

1-800-458-3330

Beverage - Finished Product

Order Number:

2187219

Order Date:

12/27/2021

429303

Sample Number:

Product: Paid: No

FDABASE GDRX

Method: Purchase

P.O.: Alton, VA

Order

TSR: SBW

	For Laboratory Use ONLY
	Lab Accounting Information:
Alton VA 24520-3570	Payment \$:
VI 21020 0070	Check #:
	Lab Comments/Special Instructions:
If finished product is submitted in laboratory containers, complete the following information. Date Opened:	2022 Spring Product
Check Time Zone: EST CST MST PST	
	State Forms:
*	
	Date Received: 3 1 4 22
PWS ID# (if applicable):	0.0
Source Type: Y Spring Well Municipal	Time Received: ()9: 14
Source Name: SPRINGS Source # / (Source Information is REQUIRED for All Finished Products)	Received By:
City & State:	AA A. *- A
Product Collected By: Robert Allove) (Signature)	Opened By: Sample receipt criteria checked & acceptable. Deviations from acceptable sample receipt criteria noted on PSA form.
Product Collected By: Do Bert A. SM. 16	
(Please Print) Brand Name/Product Type:	
Container Size: 5 9allon	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR
Production Code/Lot Number:030922 11:02 ZATS	PRODUCT IS GREATER THAN 1.77 LITERS, PLEASE PROVIDE THE FOLLOWING:
Form Completed By: Selent A Aus)	Penn. PWS ID#:
Additional Comments:	Location:
Rev: SRT102120 INCOMPLETE INFORMATION MAY DE	LAY ANALYSIS AND/OR INVALIDATE RESULTS

Report No.....10601767_1613DW_DFR

Page 5 of 8



Document Name: Sample Condition Upon Receipt (SCUR)

Document No.: ENV-FRM-MIN4-0150 Rev.04 Document Revised: 06Jan2022

Pace Analytical Services - Minneapolis

Page 1 of 1

Sample Condition Upon Receipt Upon Receipt		Proj	WO#: 10601767		
	aborate	ries			
Courier: Fed Ex UPS Pace SpeeDee	USPS Commercia	Clie	PM: JMR Due Date: 04/01/22 CLIENT: NTL		
Tracking Number: 1ZAIV931017506	1348		ptions		
Custody Seal on Cooler/Box Present?	No	Seals Int	act? Yes No Biological Tissue Frozen? Yes No N/A		
Packing Material: Bubble Wrap Bubble	Bags N	one 🔀	Other: Stycofoam Temp Blank? Yes No		
Thermometer:	122639816 🔲:	140792808	Type Wet Blue None Dry Melted		
Did Samples Originate in West Virginia? Yes	lo Were	All Contain	er Temps Taken? 🛘 Yes 🕍 No 💢 N/A		
Temp should be above freezing to 6°C Cooler Temp	Read w/temp	biank:	OC Average Corrected See Exceptions		
Correction Factor: TOC Cooler Temp Corre	cted w/temp	olank:	Temp (no temp blank ENV-FRM-MIN4-0142 only): 4.4° °C		
USDA Regulated Soil: (N/A watersample/Other: Date/Initials of Person Examining Contents: CSN 3-23-22 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA. MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No If Yes to either question, fill out a Regulated Soil Checklist ENV-FRM-MIN4-0154 and include with SCUR/COC paperwork.					
Location (check one): Duluth M Minne	eapolis 🗆	Virginia	COMMENTS:		
Chain of Custody Present and Filled Out?	Yes 🗆		1.		
Chain of Custody Relinquished? Sampler Name and/or Signature on COC?	Yes I		2.		
Samples Arrived within Hold Time?	X Yes		3. 4. If Fecal; □<8 hrs □>8hr, <24 hrs. □>24 hrs		
Short Hold Time Analysis (<72 hr)?	☐Yes 🛣	-	4. If Fecal:		
Rush Turn Around Time Requested?	□Yes 🕅	lo	6.		
Sufficient Volume?	Yes 🗆	lo	7.		
Correct Containers Used?	MYes □	lo	8.		
-Pace Containers Used?	Yes 🗆				
Containers Intact?	X)Yes \[\]N	200.40	9.		
Field Filtered Volume Received for Dissolved Tests?	Yes N	o N/A	10. Is sediment visible in the dissolved container? Yes No		
Is sufficient information available to reconcile the samples to the COC? Matrix: MWater □Soil □Oil □Other-	Yes 🗆	0	11. If no, write ID/ Date/Time on Container Below: See Exception ENV-FRM-MIN4-0142		
All containers needing acid/base preservation have	□Yes □N	o XIN/A	12. Sample #		
been checked? All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , <2pH, NaOH >9 Sulfide, NaOH>10 Cyanide)	∐Yes ∐N	o ANA	☐ NaOH ☐ HNO₃ ☐ H₂SO₄ ☐ Zinc Acetate		
	M . –	_	Positive for Res. Yes See Exception		
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease,	XXYes □N	o □N/A	Chlorine? No pH Paper Lot# ENV-FRM-MIN4-0142		
DRO/8015 (water) and Dioxin PFAS		2	Res. Chlorine 0-6 Roll 0-6 Strip 0-14 Strip		
Headspace in Methyl Mercury Container?	☐Yes ☐N	N/A			
Extra labels present on soil VOA or WIDRO containers?	☐Yes ☐N	o NANA	13. See Exception		
Headspace in VOA Vials (greater than 6mm)?	☐Yes ☐N		ENV-FRM-MIN4-0140		
Trip Blank Present? Trip Blank Custody Seals Present?	☐Yes ☐N ☐Yes ☐N	5003	14. Pace Trip Blank Lot # (if purchased):		
CLIENT NOTIFICATION/RESOLUTION Person Contacted: Comments/Resolution:		7	Field Data Required?		
Project Manager Paulaus	2 1				
Project Manager Review:	71 chave	1000	Date: 3-23-22		
Note: Whenever there is a discrepancy affecting North Caroli	na compliance s	amples, a co	py of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out		
of hold, incorrect preservative, out of temp, incorrect contain	ers).				
			Labeled by: MU ~ (7)		



Document Name: Sample Condition Upon Receipt (SCUR) Exception Form


Document Revised: O4Jun2020 Page 1 of 1

Document No.:

ENV-FRM-MIN4-0142 Rev.01

Pace Analytical Services - Minneapolis

SCUR Exceptions:						Wo	orkord	ier #: 1060176	37
Out of Temp Sample IDs	Container Type	# of Container			PM N	otified? [
Politics Boomer man Control from the Section of the				If yes,		/ho was c ndicate re		d/date/time. /hy.	a and
				M If	ultiple Co you answered	oler Proje yes, fill out h	ect? []'	Yes No	
36			100			No Temp	Blank		18 元艾二月
				ead Temp 5. <i>0</i>	Cor	rected Te		Average To	emp
				1.8 3.2 4.7		3.2 4.7		11	
			J			4./	[1] (2/13)	eron University of States	SEPT. 140 CHAPT
Tracking Number/	Temperature		ISSU	e Type: Sa	mple ID#	50 M	ALL DESIGNATION OF THE PARTY OF	Section 19 and the second section of the section of the second section of the se	of ainers
· v				-					
						= 40			
	pH Adju	ustment	Log for	Preserv	ed Sam	ples		1	
Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amoun t Added (mL)	Lot # Added	pH After	In Compliance after addition?	Initials
								☐Yes ☐No	
								☐Yes ☐No	
								☐Yes ☐No	
								☐Yes ☐No	
Comments:									
			_						





Drinking Water Analysis Results 2,3,7,8-TCDD - USEPA Method 1613B

Tetal2-607-1700 Faxa12-607-6444

Sample ID429303	Date Collected03/21/2022	Spike200 pg	g
Client National Testing Laborato	Date Received03/23/2022	IS Spike2000	pg
Lab Sample ID10601767001	Date Extracted03/24/2022	CS Spike200 pg	g

	Sample 429303	Method Blank	Lab Spike	Lab Spike Dup
[2,3,7,8-TCDD]	ND	ND		
LOQ	5.0 pg/L	5.0 pg/L		
2,3,7,8-TCDD Recovery	~ ~		131%	133%
pg Recovered			262pg/L	265pg/L
Spike Recovery Limit			73-146%	73-146%
RPD			1.	1%
IS Recovery	81%	82%	76%	67%
pg Recovered	1623 pg/L	1650 pg/L	1514 pg/L	1332 pg/L
IS Recovery Limits	31-137%	31-137%	25-141%	25-141%
CS Recovery	98%	89%	92%	87%
pg Recovered	196 pg/L	178 pg/L	184 pg/L	174 pg/L
CS Recovery Limits	42-164%	42-164%	37-158%	37-158%
Filename	E220328A 04	E220326B 07	E220326B 05	E220326B 06
Analysis Date	03/28/2022	03/27/2022	03/26/2022	03/26/2022
Analysis Time	08:59	00:00	22:54	23:27
Analyst	JRH	JRH	JRH	JRH
Volume	1.026L	0.981L	0.996L	0.990L
Dilution	NA	NA	NA	NA
ICAL Date	11/30/2021	11/30/2021	11/30/2021	11/30/2021
CCAL Filename	E220328A_02	E220326B_02	E220326B_02	E220326B_02

! = Outside the Control Limits

ND = Not Detected

LOQ = Limit of Quantitation

Limits = Control Limits from Method 1613 (10/94 Revision), Tables 6A and 7A

RPD = Relative Percent Difference of Lab Spike Recoveries

IS = Internal Standard $[2,3,7,8\text{-TCDD}^{-13}C_{12}]$ CS = Cleanup Standard $[2,3,7,8\text{-TCDD}^{-37}C_{14}]$

Project No.....10601767



ANALYTICAL RESULTS - RADIOCHEMISTRY

Project:

2187219

Pace Project No.:

30475073

Sample: 429303

Lab ID: 30475073001

Collected: 03/21/22 14:55 Received: 03/23/22 09:40 Matrix: Drinking Water

Site ID:

Sample Type:

Comments:

PWS:

• FINISHED WATER, Grand Springs Source #1, Alton VA

• Crystal Spring, Cont. size: 5 gallon, Prod. code: 030922

sample opened 03/21/22 @14:55 by M Miller

Sample collection dates and times were not present on the sample containers.
Upon receipt at the laboratory, 2.5 mls of nitric acid were added to the sample to meet the sample preservation requirement of pH

<2 for radiochemistry analysis. The samples were preserved <2 within the required 5 days of collection.

Parameters	Method Act ± Unc (MDC) Carr Trac		Units	Analyzed	CAS No.	Qual
	Pace Analytical	Services - Greensburg				
Radon	SM 7500RnB-07	66.6 ± 42.7 (69.1) C:NA T:NA	pCi/L	03/25/22 18:44	10043-92-2	
	Pace Analytical	Services - Greensburg				
Gross Alpha	EPA 900.0	1.21 ± 1.21 (2.29) C:NA T:NA	pCi/L	04/05/22 07:29	12587-46-1	
Gross Beta	EPA 900.0	2.19 ± 1.000 (1.73) C:NA T:NA	pCi/L	04/05/22 07:29	12587-47-2	
	Pace Analytical	Services - Greensburg				
Radium-226	EPA 903.1	0.172 ± 0.297 (0.532) C:NA T:100%	pCi/L	04/11/22 11:19	13982-63-3	
	Pace Analytical	Services - Greensburg				
Radium-228	EPA 904.0	0.0857 ± 0.327 (0.745) C:66% T:93%	pCi/L	04/12/22 15:29	15262-20-1	
	Pace Analytical	Services - Greensburg				
Total Radium	Total Radium Calculation	0.258 ± 0.624 (1.28)	pCi/L	04/14/22 06:32	7440-14-4	

REPORT OF LABORATORY ANALYSIS



EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-5974 http://www.EMSL.com / cinnasblab@EMSL.com EMSL Order ID: Customer ID: Customer PO: 042206170 NTLI78 14630

Project ID:

Attn: Susan Henderson

National Testing Laboratories, Inc.

6571 Wilson Mills Road Cleveland, OH 44143 Phone:

(440) 449-2525

Received:

(Ema) il -only 03/23/2022

Analyzed:

04/06/2022

Proj: 2187219

Test Report: Determination of Asbestos Structures >10µm in Drinking Water Performed by the 100.2 Method (EPA 600/R-94/134)

ASBESTOS

Sample ID Client / EMSL	Sample Filtration Date/Time	Original Sample Vol. Filtered	Effective Filter Area	Area Analyzed	Asbestos Types	Fibers Detected	Analytical Sensitivity	Concentration	Confidence Limits
		(ml)	(mm²)	(mm²)			MFL	(million fibers per	liter)
429303	3/23/2022	100	1322	0.0768	None Detected	ND	0.17	<0.17	0.00 - 0.64
042206170-0001	12:30 PM								

Collection Date/Time: 03/21/2022 14:55 PM

Bottle supplied by client

Analyst(s)
Ted Young

Samantha Runghtons

Samantha Rundstrom, Laboratory Manager or Other Approved Signatory

Any questions please contact Samantha Rundstrom-Cruz.

(1)

Initial report from: 04/06/2022 13:42:36

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples are received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Estimation of uncertainty is available on request. Sample collection performed by the client. Pre-cleaned sample containers are available for purchase from EMSL. Note if sample containers are provided by the client, acceptable bottle blank level is defined as \$5.01MFL for >=10um fibers. ND=None Detected. No Fibers Detected: the value will be reported as less than 369% of the concentration equivalent to one fiber. 1 to 4 fibers: The result will be reported as less than the corresponding upper 95% confidence limit (Poisson),5 to 30 fibers. Mean and 95% confidence intervals will be reported on the basis of the Poisson assumption. When more than 30 fibers are counted, both the Gaussian 95% confidence interval and the Poisson 95% confidence intervals will be selected for data reporting. When the Gaussian 95% confidence interval is selected for data reporting, the Poisson will also be noted.



Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NELAC NYS ELAP 10872, NJ DEP 03036, FL DOH E87975, PA ID# 68-00367

Client Sample Results

Client: National Testing Laboratories, Ltd

Project/Site: 429303,429306,429309,429607,429610

Client Sample ID: 429303/2187219 Lab Sample ID: 810-18659-1

Date Collected: 03/21/22 14:55

Date Received: 03/23/22 09:45

Matrix: Bottled Water

Job ID: 810-18659-1

Method: 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perchlorate	0.37		0.050		ug/L			03/23/22 19:30	1

General Chemistry

General Guernistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total	<0.020		0.020		mg/L		03/24/22 10:36	03/24/22 15:26	1



ANALYTICAL REPORT

Lab Number:

L2214940

Client:

National Testing Laboratories, LTD

6571 Wilson Mills Rd. Cleveland, OH 44143

ATTN:

Susan Henderson

Phone:

(440) 449-2525

Project Name:

GRAND SPRINGS SOURCE #1

Project Number:

Not Specified

Report Date:

04/06/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806 508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



L2214940 04/06/22

Lab Number: Report Date:

GRAND SPRINGS SOURCE #1

Not Specified

Project Name: Project Number: 03/23/22

03/21/22 14:55 03/21/22 14:55

2187219 2187219

DW DW

429304- FIELD BLANK

L2214940-01 L2214940-02

429304

A HCLY STONE

Receive Date
Collection Date/Time
Sample Location
Matrix
Client ID
Alpha Sample ID

Serial No:04062215:54

Project Name: GRAND SPRINGS SOURCE #1 Lab Number: L2214940

Project Number: Not Specified Penert Date: 04/06/22

Project Number: Not Specified Report Date: 04/06/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.



Serial_No:04062215:54

Project Name:

GRAND SPRINGS SOURCE #1

Lab Number:

L2214940

Project Number:

Not Specified

Report Date:

04/06/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Juan & Med Susan O' Neil

Title: Technical Director/Representative

Date: 04/06/22



ORGANICS



SEMIVOLATILES



Serial_No:04062215:54

L2214940

Project Name: GRAND SPRINGS SOURCE #1

Project Number: Not Specified

SAMPLE RESULTS

Report Date: 04/06/22

Lab Number:

Lab ID: L2214940-01 Client ID: 429304 Sample Location: 2187219

Date Collected: 03/21/22 14:55 Date Received: 03/23/22 Field Prep: Not Specified

Sample Depth:

Matrix: Dw

Analytical Method: 133,537.1 Analytical Date: 03/31/22 11:09

Analyst: AC

Extraction Metho	d: EPA 537.1
Extraction Date:	03/30/22 20:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 -	Mansfield Lat					
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	1.74	0.582	1
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	1.74	0.582	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	1.74	0.582	1
Perfluoroheptanoic Acid (PFHpA)	ND	The transfer of the transfer o	ng/l	1.74	0.582	1
Perfluorohexanesulfonic Acid (PFHxS)	ND	A ALLENA TO THE LAND	ng/l	1.74	0.582	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	1.74	0.582	1
Perfluorooctanoic Acid (PFOA)	ND		ng/l	1.74	0.582	1
Perfluorononanoic Acid (PFNA)	ND		ng/l	1.74	0.582	1
Perfluorooctanesulfonic Acid (PFOS)	ND	P17 AM	ng/l	1.74	0.582	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	1.74	0.582	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9CI-PF3ONS)	ND		ng/l	1.74	0.582	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	1.74	0.582	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	1.74	0.582	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	1.74	0.582	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	1.74	0.582	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	1.74	0.582	1 .
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	1.74	0.582	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	1.74	0.582	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	97		70-130	
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	94		70-130	
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	86		70-130	
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	103		70-130	



Project Name: GRAND SPRINGS SOURCE #1

Project Number: Not Specified

Lab Number:

L2214940

Report Date:

04/06/22

Method Blank Analysis
Batch Quality Control

Analytical Method: Analytical Date:

133,537.1

Analytical Date:

03/31/22 08:20

Analyst:

AC

N-Ethyl Perfluorooctanesulfonamidoacetic

11-Chloroeicosafluoro-3-Oxaundecane-1-

Perfluorododecanoic Acid (PFDoA)

Perfluorotetradecanoic Acid (PFTA)

Sulfonic Acid (11CI-PF3OUdS)
Perfluorotridecanoic Acid (PFTrDA)

Acid (NEtFOSAA)

Extraction Method: EPA 537.1 Extraction Date: 03/30/22 21:06

Parameter Result Qualifier Units RL MDL Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab for sample(s): 01 Batch: WG1621645-1 Perfluorobutanesulfonic Acid (PFBS) ND 2.00 ng/l 0.668 Perfluorohexanoic Acid (PFHxA) ND 2.00 ng/l 0.668 Hexafluoropropylene Oxide Dimer Acid ND ng/l 2.00 0.668 (HFPO-DA) Perfluoroheptanoic Acid (PFHpA) ND ng/l 2.00 0.668 Perfluorohexanesulfonic Acid (PFHxS) ND 2.00 ng/l 0.668 4,8-Dioxa-3h-Perfluorononanoic Acid ND ng/l 2.00 0.668 (ADONA) Perfluorooctanoic Acid (PFOA) ND ng/l 2.00 0.668 Perfluorononanoic Acid (PFNA) ND 2.00 ng/l 0.668 Perfluorooctanesulfonic Acid (PFOS) ND 2.00 ng/l 0.668 Perfluorodecanoic Acid (PFDA) ND ng/l 2.00 0.668 9-Chlorohexadecafluoro-3-Oxanone-1-ND ng/l 2.00 0.668 Sulfonic Acid (9CI-PF3ONS) N-Methyl Perfluorooctanesulfonamidoacetic ND 2.00 ng/l 0.668 Acid (NMeFOSAA) Perfluoroundecanoic Acid (PFUnA) ND ng/l 2.00 0.668

ng/i

ng/l

ng/l

ng/l

ng/l

2.00

2.00

2.00

2.00

2.00

0.668

0.668

0.668

0.668

0.668

			Acceptance
Surrogate	%Recovery	Qualifier	Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	98		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	102		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	93		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	105		70-130

ND

ND

ND

ND

ND



Lab Control Sample Analysis Batch Quality Control

L2214940 Lab Number:

04/06/22 Report Date:

Not Specified Project Number:

GRAND SPRINGS SOURCE #1

Project Name:

RPD Limits Qual RPD %Recovery Limits Qual LCSD %Recovery Qual LCS %Recovery Parameter

	^.
	5
and the last	49
and Application	7
1	16
-	9
1. Mark and Carporope	>
,	<u>;;</u>
	atc
	Ω
ì	_
	0
	···
	e (S
	d
	Ë
1	b
the same a party of the contract of the contra	ate
٠	Ö
	SSC
-	Ä
	ap
	<u>e</u>
-	ısti
1	la la
	2
į	<u> </u>
1	37
1	5
-American	EPA 5
1	×
	o p
,	ğ
ı	ĕ
i	₹
-	4
	eq
	nat
	O.I.
	₽
	e e
•	_

30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
1			ı		,	•				•	4	•		•	·	mades in the state of the state	
70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130	70-130
	•				ı	•					ll 1		•				
104	96	95	100	107	86	66	100	101	88	118	100	100	109	95	118	96	95
Perfluorobutanesulfonic Acid (PFBS)	Perfluorohexanoic Acid (PFHxA)	Hexafluoropropylene Oxide Dimer Acid	Perfluoroheptanoic Acid (PFHpA)	Perfluorohexanesulfonic Acid (PFHxS)	4,8-Dioxa-3h-Perfluorononanoic Acid	Perfluorooctanoic Acid (PFOA)	Perfluorononanoic Acid (PFNA)	Perfluorooctanesulfonic Acid (PFOS)	Perfluorodecanoic Acid (PFDA)	9-Chlorohexadecafluoro-3-Oxanone-1-	Namethyl Perfluorooctanesulfonamidoacetic Acid	(NMeFOSAA) Perfluoroundecanoic Acid (PFUnA)	N-Ethyl Perfluorooctanesulfonamidoacetic	Perfluorododecanoic Acid (PFDoA)	11-Chloroeicosafluoro-3-Oxaundecane-	Perfluorotridecanoic Acid (PFTrDA)	Perfluorotetradecanoic Acid (PFTA)



Lab Control Sample Analysis Batch Quality Control

L2214940 Lab Number:

> Not Specified Project Number:

GRAND SPRINGS SOURCE #1

Project Name:

04/06/22 Report Date:

Limits RPD Qual RPD %Recovery Limits Qual LCSD %Recovery Qual LCS %Recovery Parameter

Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 Batch: WG1621645-2

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
Perfluoro-n-I1.2-13C2lhexanoic Acid (13C-PFHxA)	94				70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	100				70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	88				70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	100				70-130



Matrix Spike Analysis Batch Quality Control

GRAND SPRINGS SOURCE #1

Project Name:

L2214940 Lab Number:

04/06/22 Report Date:

Not Specified Project Number:

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery Qual		Recovery Limits	RPD	RPD Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01	PA 537.1 - M	ansfield Lab	Associated	sample(s): 01	QC Batc	QC Batch ID: WG1621645-3	621645-3	QC Samp	QC Sample: L2214717-01		Client ID	Client ID: MS Sample
Perfluorobutanesulfonic Acid (PFBS)	5.09	133	160	116					70-130			30
Perfluorohexanoic Acid (PFHxA)	8.07	150	165	105					70-130			30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	150	149	ୁଠିତ ।					70-130			30
Perfluoroheptanoic Acid (PFHpA)	2.39	150	162	106					70-130	1 1		30
Perfluorohexanesulfonic Acid (PFHxS)	1.12J	137	151	110					70-130			30
4,8-Dioxa-3h-Perfluorononanoic Acid	QN	142	144	102		1			70-130	,		30
Perfluorooctanoic Acid (PFOA)	5.44	150	158	102					70-130	ı		30
Perfluorononanoic Acid (PFNA)	Q	150	148	66			•		70-130			30
Perfluorooctanesulfonic Acid (PFOS)	N	139	142	102			,		70-130			30
Perfluorodecanoic Acid (PFDA)	9	150	152	101		•			70-130	1		30
9-Chlorohexadecafluoro-3- Oxanone-1-Sulfonic Acid (9Cl-	Q	140	152	109			.t		70-130			30
Productions) N-Methyl Perfluoroctanesulfonamidoacetic Acid (NMAFOSAA)	Q	150	159	106		ı	6		70-130	ı		30_
Perfluoroundecanoic Acid (PFUnA)	Q	150	148	66		•	*		70-130	•		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEFOSAA)	Q	150	173	115			4.		70-130	ı		30
Perfluorododecanoic Acid (PFDoA)	QN	150	136	91		•	æ.	. 49	70-130		I	30
11-Chloroeicosafluoro-3- Oxaundecane-1-Sulfonic Acid (11Cl- PF3OLdS)	QN	142	147	104			•		70-130			30
Perfluorotridecanoic Acid (PFTrDA)	Q	150	135	06			.5		70-130	,		30
Perfluorotetradecanoic Acid (PFTA)	Q	150	139	63			4		70-130	•		30



Matrix Spike Analysis Batch Quality Control

GRAND SPRINGS SOURCE #1

Not Specified

Project Number: Project Name:

L2214940 Lab Number:

04/06/22

Report Date:

Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1621645-3 QC Sample: L2214717-01 Client ID: MS Sample MSD Recovery RPD Qual Limits MS %Recovery Qual MS Found MS Added Native Sample Parameter

	SW	10	MSD	ő	Acceptance
Surrogate	% Recovery Qualifier	Qualifier	% Recovery Qualifier	Qualifier	Criteria
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic	66				70-130
Add (Montre C-DA) N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	103				70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	92				70-130
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	66				70-130



GRAND SPRINGS SOURCE #1 Project Name: Project Number:

Not Specified

Lab Duplicate Analysis
Batch Quality Control

Lab Number:

L2214940 04/06/22

Report Date:

RPD Per Sar

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 Sample	ld Lab Associated sample(s):		QC Batch ID: WG1621645-4	QC Sample:	QC Sample: L2214727-01 Client ID: DUP
Perfluorobutanesulfonic Acid (PFBS)	4.27	3.98	l/gn	7	30
Perfluorohexanoic Acid (PFHxA)	33.4	33.3	ng/l	0	30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3- Hortzfluoromonomy Bronandia Asid (HEBO DA)	QN	QV	l/gn	S	30
neptandroproproxy, Frightnick Add (nFFC-DA) Perfluoroheptanoic Acid (PFHpA)	6.29	6.07	l/gn	4	30
Perfluorohexanesulfonic Acid (PFHxS)	1.25J	1.12J	l/gu	NC	30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	QN	QN	l/gu	NC	30
Perfluorooctanoic Acid (PFOA)	11.4	11.3	l/gn	•	30
Perfluorononanoic Acid (PFNA)	0.810J	0.832J	l/gn	NO	30
Perfluorooctanesulfonic Acid (PFOS)	2.72	2.60	l/gu	2	30
Perfluorodecanoic Acid (PFDA)	QN	QN	l/gu	NC	30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic	QN	Q	l/gn	S	30
Actu (SCAT 1 SONS) N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMAEQ) (SONS)	ND	QN	l/gu	S	30
Perfluoroundecanoic Acid (PFUnA)	ND	QN	ng/I	NC	30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid	QN	QN	l/gn	S	30
Perfluorododecanoic Acid (PFDoA)	ND	QN	l/ĝu	S	30
11-Chloroeicosafluoro-3-Oxaundecane-1- Sulfanio Acid (110) DE201 (48)	QN	Q	l/gu	NC	30
Suitonic Acid (Troring Social) Perfluorotridecanoic Acid (PFTrDA)	QN	QN	l/gu	NO	30
Perfluorotetradecanoic Acid (PFTA)	ND	Q	l/gu	NC	30



Lab Duplicate Analysis
Batch Quality Control

GRAND SPRINGS SOURCE #1

Not Specified

Project Number: Project Name:

Parameter

Lab Number:

Report Date:

RPD Limits

Qual

RPD

Units

Duplicate Sample

Native Sample

L2214940 04/06/22 Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1621645-4 QC Sample: L2214727-01 Client ID: DUP Sample Acceptance Criteria 70-130 70-130 70-130 "Recovery Qualifier "Recovery Qualifier 80 82 86 83 95 87 2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA) Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA) Surrogate

70-130

N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)



Lab Number: L2214940 Report Date: 04/06/22

Sample Receipt and Container Information

Were project specific reporting limits specified?

GRAND SPRINGS SOURCE #1

Project Number: Not Specified

Project Name:

YES

Cooler Information

Custody Seal Cooler

Absent

Container Information	rmation				Temp			Frozen	
Container ID	Container ID Container Type	Cooler	Н	Н	deg C	Pres	Sea/	Date/Time	Analysis(*)
L2214940-01A	Plastic 250ml Trizma preserved	∢	Ϋ́		4.5 Y Absent	>	Absent		A2-537.1(14)
L2214940-01B	Plastic 250ml Trizma preserved	4	A A		4.5	∢ ≻	Absent		A2-537.1(14)
L2214940-02A	Plastic 250ml Trizma preserved	∢	N A		4.5	Y Absent	Absent		A2-L-EXT-537(14)

Serial_No:04062215:54 **Lab Number:** L2214940

Project Name: GRAND SPRINGS SOURCE #1

Project Number: Report Date: 04/06/22

PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
PERFLUOROALKYL CARBOXYLIC ACIDS (PFCAs)		
Perfluorooctadecanoic Acid	PFODA	16517-11-6
Perfluorohexadecanoic Acid	PFHxDA	67905-19-5
Perfluorotetradecanoic Acid	PFTA	376-06-7
Perfluorotridecanoic Acid	PFTrDA	72629-94-8
Perfluorododecanoic Acid	PFDoA	307-55-1
Perfluoroundecanoic Acid	PFUnA	2058-94-8
Perfluorodecanoic Acid	PFDA	335-76-2
Perfluorononanoic Acid	PFNA	375-95-1
Perfluorooctanoic Acid	PFOA	335-67-1
Perfluoroheptanoic Acid	PFHpA	375-85-9
Perfluorohexanoic Acid	PFHxA	
Perfluoropentanoic Acid	PFPeA	307-24-4
•		2706-90-3
Perfluorobutanoic Acid	PFBA	375-22-4
PERFLUOROALKYL SULFONIC ACIDS (PFSAs)		
Perfluorododecanesulfonic Acid	PFDoDS	79780-39-5
Perfluorodecanesulfonic Acid	PFDS	335-77-3
Perfluorononanesulfonic Acid	PFNS	68259-12-1
Perfluorooctanesulfonic Acid	PFOS	1763-23-1
Perfluoroheptanesulfonic Acid	PFHpS	375-92-8
Perfluorohexanesulfonic Acid	PFHxS	355-46-4
Perfluoropentanesulfonic Acid	PFPeS	2706-91-4
Perfluorobutanesulfonic Acid	PFBS	375-73-5
FLUOROTELOMERS		
H,1H,2H,2H-Perfluorododecanesulfonic Acid	10:2FTS	120226-60-0
H,1H,2H,2H-Perfluorodecanesulfonic Acid	8:2FTS	39108-34-4
IH,1H,2H,2H-Perfluorooctanesulfonic Acid	6:2FTS	27619-97-2
IH,1H,2H,2H-Perfluorohexanesulfonic Acid	4:2FTS	757124-72-4
PERFLUOROALKANE SULFONAMIDES (FASAs)		101124124
Perfluorooctanesulfonamide	FOSA	754.04.0
N-Ethyl Perfluorooctane Sulfonamide		754-91-6
N-Methyl Perfluorooctane Sulfonamide	NEtFOSA	4151-50-2
	NMeFOSA	31506-32-8
PERFLUOROALKANE SULFONYL SUBSTANCES		
N-Ethyl Perfluorooctanesulfonamido Ethanol	NEtFOSE	1691-99-2
N-Methyl Perfluorooctanesulfonamido Ethanol	NMeFOSE	24448-09-7
N-Ethyl Perfluorooctanesulfonamidoacetic Acid	NEtFOSAA	2991-50-6
N-Methyl Perfluorooctanesulfonamidoacetic Acid	NMeFOSAA	2355-31-9
PER- and POLYFLUOROALKYL ETHER CARBOXYLIC ACIDS		
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid	HFPO-DA	13252-13-6
1,8-Dioxa-3h-Perfluorononanoic Acid	ADONA	919005-14-4
CHLORO-PERFLUOROALKYL SULFONIC ACIDS		
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	11CI-PF3OUdS	700054 00 0
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid		763051-92-9
	9CI-PF3ONS	756426-58-1
PERFLUOROETHER SULFONIC ACIDS (PFESAs)		
Perfluoro(2-Ethoxyethane)Sulfonic Acid	PFEESA	113507-82-7
PERFLUOROETHER/POLYETHER CARBOXYLIC ACIDS (PFPCAs)		
Perfluoro-3-Methoxypropanoic Acid	PFMPA	277 72 4
Perfluoro-4-Methoxybutanoic Acid	PFMBA	377-73-1
Nonafluoro-3,6-Dioxaheptanoic Acid		863090-89-5
,,,,,,,,-	NFDHA	151772-58-6

Project Name: Lab Number: **GRAND SPRINGS SOURCE #1** L2214940 **Report Date: Project Number:** Not Specified 04/06/22

GLOSSARY

Acronyms

EDL

EMPC

LOD

MS

RPD

DL - Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments

from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).

- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case

estimate of the concentration.

EPA - Environmental Protection Agency.

LCS - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LCSD Laboratory Control Sample Duplicate: Refer to LCS.

LFB · Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

> - Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content,

where applicable. (DoD report formats only.)

LOQ - Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats

> Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats

· Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated MDL values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

> - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated

using the native concentration, including estimated values.

MSD - Matrix Spike Sample Duplicate: Refer to MS.

NA Not Applicable.

NC - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's

reporting unit.

NDPA/DPA · N-Nitrosodiphenylamine/Diphenylamine.

NI - Not Ignitable

NP - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.

· No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile NR

Organic TIC only requests.

RL - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL

includes any adjustments from dilutions, concentrations or moisture content, where applicable.

- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the

values; although the RPD value will be provided in the report.

SRM - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the

associated field samples.

STLP - Semi-dynamic Tank Leaching Procedure per EPA Method 1315.

TEF - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.

TEQ - Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF

and then summing the resulting values.

TIC - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: GRAND SPRINGS SOURCE #1 Lab Number: L2214940

Project Number: Not Specified Report Date: 04/06/22

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'. Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benzo(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations
 of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Serial_No:04062215:54

Project Name: GRAND SPRINGS SOURCE #1 Lab Number: L2214940

Project Number: Not Specified Report Date: 04/06/22

Data Qualifiers

- NJ Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- The RPD between the results for the two columns exceeds the method-specified criteria.
- The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration
 Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries
 when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less
 than 5x the RL. (Metals only.)
- R Analytical results are from sample re-analysis.
- **RE** Analytical results are from sample re-extraction.
- S Analytical results are from modified screening analysis.
- The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits.
 (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Serial No:04062215:54

Project Name: GRAND SPRINGS SOURCE #1 Lab Number: L2214940 04/06/22

Project Number: Report Date: Not Specified

REFERENCES

133 Determination of Selected Per- and Polyfluorinated Alkyl Substances in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS). EPA Method 537.1, EPA/600/R-18/352. Version 1.0, November 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Serial_No:04062215:54

Alpha Analytical, Inc.
Facility: Company-wide
Department: Quality Assurance

Title: Certificate/Approval Program Summary

ID No.:17873

Revision 19

Published Date: 4/2/2021 1:14:23 PM

Page 1 of 1

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: lodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene;

4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; SM4500F-C, SM4500CN-CE,

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate. EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan II, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), EPA 600/4-81-045: PCB-Oil.

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg. SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

OPPHILE

W National Testing Laboratories, Ltd.

Quality Water Analysis

CLIENT/COMPANY NAME:

roxox

CHAIN OF CUSTODY

Page


Initiated by: \square Client

□ Other Z National Testing Laboratories, Ltd.

				TEST(S) REQUESTED PER SAMPLE (X)	
CLIENT COMMENTS:	σ.	ES:		PAPAU	
		POOL WATER = P OTHER TYPE	. ⊢> 3 °	7. 54.	
SAMPLE	COLLECTION	SAMPLESITE	· Z W	DE LA SOLITION DE LA	041
	DATE TIME	DESCRIPTION			} *
of 429304	3/4/22 1455	7187219	7	, x x	
	6				
RECEIVER SIGNA BOTTLES RECEIV	RECEIVER SIGNATURE CONFIRMS THAT THE BOTTLES RECEIVED ARE CONSISTENT WITH	RELINOUISHED BY: (Signature)	DATE TIME	E LABORATORY COMMENTS:	
THE REQUIRE	TESTING PROTOCOL.		3 3.22 15:00	0	
(1)	DATE	RECEIVED BY (Signature)	DATE TIME 3/23/12 ISON		
SHIFFE DBY: (Signature)	3/2/2	RELINQUISHED BY: (Signature)	3/23/pt 1608		
(3) Cole Per Congress	3 22 S	TIME RECEIVED BY: (Signature)	Now 1608		

COC-HELL MARKET

See instructions on reverse side →



1-800-458-3330

Beverage - Finished Product

Order Number:

2187219

Order Date:

12/27/2021

Sample Number:

429304

Product:

PFAS 18

Paid: No

Method: Purchase

P.Q.: Alton, VA

Order

TSR: SBW

		For Laboratory Use ONLY
		Lab Accounting Information:
Alton	VA 24520-3570	Payment \$:
	ALL WINDS AND I	Check #:
		Lab Comments/Special Instructions:
If tenshed product is submitted in laborate	ory consistents, complete the following wifor	2022 Spring Product
Date Opened: / /	Piesse Lise Military Time, e.g. 3:00pm	
Check Time 2	Cone: EST CST MST	PST State Forms:
		NY
		Lab Sample Information:
PWS ID# (if applicable):		Date Received: 3 114 122
Source Type: Spring	☐ Well ☐ Muni	ripel Received: 07:14 Received By:
Source Name Colones Sp	Dune Comme # 1	Date Opened: 03, 21, 2011
(Source Information	n is REQUIRED for All Finished Pro	Time Opened: 14:55
City & State:	Different than Above	Opened By: M. Mullu
Product Collected By	(Signature)	Sample receipt criteria checked & acceptable. Deviations from acceptable sample receipt criteria noted on PSA form.
Product Collected By: Role	ert A. Smith	
Brand Name/Product Type:	(Please Print) STAL SPR; WG YZ Spring Water or XYZ Displied W:	ater
Container Size: 5 ga	Man!	IF PENNSYLVANIA REPORTING IS REQUIRED AND YOUR
Production Code/Lot Number 26	30922 11:02 ZATS	THE FOLLOWING: Penn. PWS ID#:
Form Completed By: Solse	I ASmil	Location:
Additional Comments:		
Rev: SRT102120 INCOM	O ETE MECONATION	



789 N. Dixboro Rd. Ann Arbor, Mi 48105, USA 1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

TEST REPORT

Send To: C0023226

LABORATORIES

Ms. Susan Henderson National Testing Laboratories, Ltd. 6571 Wilson Mills Road Cleveland, OH 44143 Facility: C0023227

National Testing Laboratories, Ltd. 556 South Mansfield Street Ypsilanti MI 48197 United States

Result	COMPLETE	Final Report Date	26-APR-2022
Customer Name	National Testing Laboratories, Ltd.		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	Sample # 429303 Order # 2187219		
Test Type	Source Water		
Job Number	J-00433445		
Project Number	30056443 (CL01)		
Project Manager	Anna Baker		

Thank you for having your product tested by NSF International.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization Mancy 7. Cole

Nancy Cole - Director, Analysis Laboratories

Date 26-APR-2022



General Information

Standard: USFDA CFR Title 21 Part 165.110

Collected by: R. Smith

Date and Time Sampled: 03/21/2022 14:55 EDT

Product Description: Sample # 429303 | Order # 2187219

Test Description: Phenolics

Sample Id:

S-0001897986

Description:

Sample # 429303 | Order # 2187219 - 03/21/2022 14:55 EDT

Sampled Date:

03/21/2022

Received Date: 04/06/2022

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P/F
Inorganic Chemicals					
Phenolics	0.001	ND	0.001	mg/L	Pass
Miscellaneous					



<<Additional Information>>

Sample Id: S-0001897986

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Inorganic Chemicals		A STATE OF THE STA	The least the same of the large than the
* Phenolics, Total Recoverable (Based on EPA 420.4)	12-APR-2022		
Miscellaneous			
*Source Water BQ Receipt Test Code			



7	es	tin	a	Lai	bo	rai	to	rie	s	:

Flag **Address** All work performed at: NSF AA NSF International (Unless otherwise specified) 789 N. Dixboro Road Ann Arbor MI 48105

References to Testing Procedures:

NSF Reference	* Phenolics, Total Recoverable (Based on EPA 420.4)				
C3021					
Laboratory Certifications:					
Arizona (# AZ0655)	California (# 03214 CA)	Connecticut (# PH-0625)			
Florida (# E-87752 FL)	Hawaii	Indiana			
Maryland (#201)	Michigan (# 0048)	North Carolina (# 26701)			
New Jersey (# MI770)	Nevada (# MI000302010A)	New York (# 11206)			
Pennsylvania (#68-00312)	South Carolina (#81005)	Virginia (# 00045)			
Vermont (# VT 11206)					

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its 17025 scope of accreditation.

Unless otherwise indicated, method uncertainties are not applied in any determinations of conformity. Testing utilizes the requested sections of any referenced standards, which may not be the entire standard.

Dates of Laboratory Activity: 06-APR-2022 to 26-APR-2022

The reported result for Total Recoverable Phenolics, Potassium, Molybdenum, Silica, Total Phosphorus, Radon, Sr-89/90, Bicarbonate, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-n-butylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane if performed, cannot be used for compliance purposes within the State of Arizona. Certifications are not offered for these compounds in a drinking water matrix.

The reported results for Total Recoverable Phenolics, pH, Bicarbonate and Temperature, if performed, are not covered by New York State drinking water certifications. NSF is not certified for Chlorine Dioxide, Chloramines, Total Residual Chlorine, Bromochloroacetic Acid, Total Haloacetic acid, Bentazon, DCPA Acid Metabolites, EPTC, Dimethylphthalate, 2,6-Dinitrotoluene, 2,4-Dinitrotoluene, Molinate, Diethylphthalate, Terbacil, Di-nbutylphthalate, p,p'-DDE (4,4'-DDE), Butylbenzylphthalate, Trichlorotrifluoroethane, Methyl Ethyl Ketone, 1,2,3-Trimethylbenzene, Epichlorohydrin, or 1,4-Dioxane in the State of New York.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.

For a list of NSF International Method Detection Limits refer to https://d2evkimvhatqav.cloudfront.net/documents/external/minimum_detection_level_spreadsheet.pdf

FI20220426115808

J-00433445

Page 4 of 4

This report shall not be reproduced, except in its entirety, without the written approval of NSF. This report does not represent NSF Certification or authorization to use the NSF Mark. Authorization to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.